A DIVISION OF ACCESS DISPLAY GROUP, INC.

TEL: 800-289-1539 FAX: 877-842-5126 E-MAIL: info@displays4sale.com

Product Sheet

Item ID # LSCPRL234

Outdoor Enclosed Illuminated Poster Cases (with Radius Edge & Leg Posts) (2 & 3 Doors)

FOR CURRENT PRICING, VISIT THE ID # LISTED ABOVE

Product Details



- Two 8 Fool Metal Leg Posts (2"x2'x96")
- Contemporary Radius Edge Cabinet Design
- Durable Aluminum Construction: Cabinet and Posts
- Weatherproof Exterior Cabinet Enclosed
- Lighted Display Case
- 2 and 3 Door Display Cabinet
- Enclosed Bulletin Board
- Sleek frame with **radius edges** accentuates display presentation
- State-of-the-Art LED Strip Lighting: Long Lasting & Energy Efficient
- Features full length piano hinges support each door
- Locking Poster Case
- Security cam-lock is positioned on the front of each door (2 keys included) Overall Display Cabinet Depth: 4" Interior Useable Depth: 2 5/8"

- 4 outdoor treated frame finishes
- Corner Style: Mitered Corners with Radius Edges
- Break Resistant Acrylic: Perfect for high traffic or public environments
- Self healing natural cork interior
- Weep holes provided on bottom to reduce condensation build-up
- Weather resistant aluminum backing with silicone sealant Free Shipping on Illuminated Multiple Door Poster Display Stands
- Call for Custom Outdoor Free Standing Poster Display Cases

Lighting Information

- LED strip lights are positioned on top to shine down
- Electric Cord: 3-wire center back exit (electrician needed for hard-wiring)

Post Specifications

- Post Dimensions: 2" x 2" x 96" (8 Feet High)
- · Posts are attached to the case through the sides. Pre-drilled holes will be provided on the posts for easy display case mounting
- Posts should be secured at least 3 feet into the ground for proper support.

Ordering Options

- Vinyl covering over corkboard
- Plastic Clear or Multi-Color Push Pins (100 per box)
- Door Window: Break Resistant or Tempered Glass
 - Break Resistant Acrylic: 1/8" thick, lightweight (Standard)
 - 1/4" Tempered Glass for public environments and locations that require this added safety feature. (Upcharge)
 - If chosen we will use our heavy duty door that will change one of 2 dimensions by 1/2". We will contact you if you do not indicate which dimension you would like adjusted in your order notes.
 - The viewable area can decrease by 1/2" or the overall size can be increased by 1/2".

Model	Overall Size	Viewable Area (per door)	Number of Doors	Ships Via	Shipping Weight
LSCPRL234-4040	40" Wide x 40" High	14 3/4" x 34"	2	Freight	125 LBS
LSCPRL234-4050	40" Wide x 50" High	14 3/4" x 44"	2	Freight	136 LBS
LSCPRL234-4232	42" Wide x 32" High	16 1/4" x 27"	2	Freight	118 LBS
LSCPRL234-4836	48" Wide x 36" High	19 1/4" x 31"	2	Freight	129 LBS
LSCPRL234-4848	48" Wide x 48" High	18 3/4" x 42"	2	Freight	145 LBS
LACPRL234-4860	48" Wide x 60' High	18 3/4" x 54"	2	Freight	161 LBS







LSCPRL234-5040 50" Wide x 40" High 19 3/4" x 34" 2 Freight LSCPRL234-5050 50" Wide x 50" High 19 3/4" x 44" 2 Freight LSCPRL234-6024 60" Wide x 24" High 24 3/4" x 18" 2 Freight LSCPRL234-6030 60" Wide x 30" High 24 3/4" x 24" 2 Freight	136 LBS 150 LBS 121 LBS
LSCPRL234-6024 60" Wide x 24" High 24 3/4" x 18" 2 Freight	121 LBS
LSCPRL234-6030 60" Wide x 30" High 24 3/4" x 24" 2 Freight	121 I DC
	131 LB3
LSCPRL234-6036 60" Wide x 36" High 25 1/4" x 31" 2 Freight	141 LBS
LSCPRL234-6040 60" Wide x 40" High 24 3/4" x 34" 2 Freight	148 LBS
LSCPRL234-6048 60" Wide x 48" High 24 3/4" x 42" 2 Freight	161 LBS
LSCPRL234-6060 60" Wide x 60" High 24 3/4" x 54" 2 Freight	181 LBS
LSCPRL234-7224 72" Wide x 24" High 30 3/4" x 18" 2 Freight	129 LBS
LSCPRL234-7224-3D 72" Wide x 24" High 19 3/16" x 18" 3 Freight	129 LBS
LSCPRL234-7230 72" Wide x 30" High 30 3/4" x 24" 2 Freight	141 LBS
LSCPRL234-7230-3D 72" Wide x 30" High 19 3/16" x 24" 3 Freight	141 LBS
LSCPRL234-7236 72" Wide x 36" High 25 1/4" x 31" 2 Freight	153 LBS
LSCPRL234-7236-3D 72" Wide x 36" High 19 1/2" x 31" 3 Freight	153 LBS
LSCPRL234-7248 72" Wide x 48" High 30 3/4" x 42" 2 Freight	177 LBS
LSCPRL234-7248-3D 72" Wide x 48" High 19 1/2" x 43" 3 Freight	177 LBS
LSCPRL234-8424 84" Wide x 24" High 36 3/4" x 18" 2 Freight	137 LBS
LSCPRL234-8424-3D 84" Wide x 24" High 23 3/16" x 18" 3 Freight	137 LBS
LSCPRL234-8430 84" Wide x 30" High 36 3/4" x 24" 2 Freight	151 LBS
LSCPRL234-8430-3D 84" Wide x 30" High 23 3/16" x 24" 3 Freight	151 LBS
LSCPRL234-8436 84" Wide x 36" High 36 3/4" x 30" 2 Freight	165 LBS
LSCPRL234-8436-3D 84" Wide x 36" High 23 3/16" x 30" 3 Freight	165 LBS
LSCPRL234-8448 84" Wide x 48" High 36 3/4" x 42" 2 Freight	193 LBS
LSCPRL234-8448-3D 84" Wide x 48" High 23 3/16" x 42" 3 Freight	193 LBS
LSCPRL234-9624 96" Wide x 24" High 43 3/4" x 18" 2 Freight	145 LBS
LSCPRL234-9624-3D 96" Wide x 24" High 27 3/16" x 18" 3 Freight	145 LBS
LSCPRL234-9630 96" Wide x 30" High 42 3/4" x 24" 2 Freight	161 LBS
LSCPRL234-9630-3D 96" Wide x 30" High 27 3/16" x 24" 3 Freight	161 LBS
LSCPRL234-9636 96" Wide x 36" High 42 3/4" x 30" 2 Freight	177 LBS
LSCPRL234-9636-3D 96" Wide x 36" High 27 3/16" x 30" 3 Freight	177 LBS
LSCPRL234-9648 96" Wide x 48" High 42 3/4" x 42" 2 Freight	210 LBS

LSCPRL234-9648-3D	96" Wide x 48" High	27 1/2" x 43"	3	Freight	210 LBS
-------------------	---------------------	---------------	---	---------	---------