Displays4Sale

A DIVISION OF ACCESS DISPLAY GROUP, INC.

TEL: 800-289-1539 FAX: 877-842-5126 E-MAIL: info@displays4sale.com

Product Sheet

Item ID # SCPIWHL234

FOR CURRENT PRICING, VISIT THE ID # LISTED ABOVE

Indoor Poster Wood Display Cases with Header & Lights (Multiple Doors)

HEADER CUSTOM HEADERS AVAILABLE



Mitered Corners



Wood Poster Display Case

- Enclosed Bulletin Board

- Wall Mount
- Corner Style: Classic Mitered Style
- 5" High White Message Header Panel
- UL Approved, Long Lasting, Energy Efficient LED Lights

- Self healing natural cork interior
- Case must be surface mounted on the wall
- Free Shipping on all INDOOR Wood Poster Displays Multi-Door

Header Details

Product Details

- UPPERCASE Helvetica vinyl lettering
 - Black lettering on a 5" white header (3" max text height)
 - can't fit your message on one line we will center your copy on two lines. For the customer that needs a specific font, color or text positioning, you may call customer service with your requests.

SELECT THE RIGHT OPTION FOR YOU, AND FOLLOW INSTRUCTIONS

STANDARD HEADER (No Charge)

- Standard UPPERCASE Black Helvetica Lettering as detailed above.
- Make sure to spell out your header in the empty <u>Text Box</u> above the Green ADD to CART button. Check your grammar & spelling!

LEAVE HEADER BLANK (No Charge)

• For those customers that will be adding their own header, select this option. Make sure to enter LEAVE BLANK in the empty Text Box above the Green ADD to CART button

CUSTOM HEADER / LOGO (Upcharge)

 This is for or those customers that wish to send us a specific FONT, COLOR, or LOGO. Make sure to enter CUSTOM LOGO in the empty Text Box above the Green ADD to CART button. We will contact you once the order has been received to instruct you on how to submit the HI-Res EPS File to us.

Lighting Information

- Top Lighting an LED strip is placed across the top and shines downward
 - UL approved LED Strip Lighting
 - Cool White LED Lighting
- ٠ LED Life: 50,000 hours
- We provide a 3-wire cord attached to the ballast / transformer inside the display case.
- When installing you should use a licensed electrician / installer to bring power to the display. The installer will best decide where to exit the hardwire provided (we do not provide an exit hole as we feel its best for the installer to decide the best exit point for power supply)

Ordering Options

Painted cork colors

0

- Fabric covering over cork
- Plastic Clear or Multi-Color Push Pins (100 per box) Door Window: Break Resistant or Tempered Glass
 - Break Resistant Acrylic: 1/8" thick, lightweight (Standard)
 - 1/4" Tempered Glass for public environments and locations that require this added safety feature. (Upcharge)
 - . If chosen we will use our heavy duty door that will change one of 2 dimensions by 1/2". We will contact you if you do not indicate which dimension you would like adjusted in your order notes
 - The viewable area can decrease by 1/2" or the overall size can be increased by 1/2".

- Wood Cabinet Construction
- 2 and 3 Door Models
- Features exposed butterfly hinges
- Locking Poster Case
- Security cam-lock is positioned on the front of each door (2 keys included)

- Overall Case Depth: 4"
- Interior Useable Depth: 2 5/8"
- 3 wood frame finishes
- Break Resistant Acrylic: Perfect for high traffic or public environments

Call for Custom Wood Poster Display Cases w Multiple Doors



- Please type your message in the text box provided below, we will try to keep your message on one line unless otherwise specified. If we

Model	Overall Size	Viewable Area (per door)	Number of Doors	Ships Via	Shipping Weight
SCIPWHL234-4040	40" Wide x 40" High	20 3/4" x 31 1/8"	2	Freight	34 LBS
SCPIWHL234-4050	40" Wide x 50" High	20 3/4" x 41 1/8"	2	Freight	42 LBS
SCPIWHL234-4836	48" Wide x 36" High	20 3/4" x 27 1/8"	2	Freight	42 LBS
SCPIWHL234-4848	48" Wide x 48" High	20 3/4" x 39 1/8"	2	Freight	49 LBS
SCPIWHL234-4860	48" Wide x 60" High	20 3/4" x 51 1/8"	2	Freight	61 LBS
SCPIWHL234-5040	50" Wide x 40" High	21 3/4" x 31 1/8"	2	Freight	42 LBS
SCPIWHL234-5050	50" Wide x 50" High	21 3/4" x 41 1/8"	2	Freight	53 LBS
SCPIWHL234-6024	60" Wide x 24" High	26 3/4" x 15 1/8"	2	Freight	31 LBS
SCPIWHL234-6030	60" Wide x 30" High	26 3/4" x 21 1/8"	2	Freight	38 LBS
SCPIWHL234-6036	60" Wide x 36" High	26 3/4" x 27 1/8"	2	Freight	45 LBS
SCPIWHL234-6040	60" Wide x 40" High	26 3/4" x 31 1/8"	2	Freight	51 LBS
SCPIWHL234-6048	60" Wide x 48" High	26 3/4" x 39 1/8"	2	Freight	61 LBS
SCPIWHL234-6060	60" Wide x 60" High	26 3/4" x 51 1/8"	2	Freight	76 LBS
SCPIWHL234-7224	72" Wide x 24" High	32 3/4" x 15 1/8"	2	Freight	37 LBS
SCPIWHL234-7224-3D	72" Wide x 24" High	20 3/4" x 15 1/8"	3	Freight	37 LBS
SCPIWHL234-7230	72" Wide x 30" High	32 3/4" x 21 1/8"	2	Freight	46 LBS
SCPIWHL234-7230-3D	72" Wide x 30" High	20 3/4" x 21 1/8"	3	Freight	46 LBS
SCPIWHL234-7236	72" Wide x 36" High	32 3/4" x 27 1/8"	2	Freight	55 LBS
SCPIWHL234-7236-3D	72" Wide x 36" High	20 3/4" x 27 1/8"	3	Freight	55 LBS
SCPIWHL234-7248	72" Wide x 48" High	32 3/4" x 39 1/8"	2	Freight	73 LBS
SCPIWHL234-7248-3D	72" Wlde x 48" High	20 3/4" x 39 3/8"	3	Freight	85 LBS
SCPIWHL234-8424	84" Wide x 24" High	38 3/4" x 15 1/8"	2	Freight	43 LBS
SCPIWHL234-8424	84" Wide x 24" High	24 3/4" x 15 1/8"	3	Freight	43 LBS
SCPIWHL234-8430	84" Wide x 30" High	38 3/4" x 21 1/8"	2	Freight	53 LBS
SCPIWHL234-8430-3D	84" Wide x 30" High	24 3/4" x 21 1/8"	3	Freight	53 LBS
SCPIWHL234-8436	84" Wide x 36" High	38 3/4" x 27 1/8"	2	Freight	64 LBS
SCPIWHL234-8436-3D	84" Wide x 36" High	24 3/4" x 27 1/8"	3	Freight	64 LBS
SCPIWHL234-8448	84" Wide x 48" High	38 3/4" x 39 1/8"	2	Freight	85 LBS
SCPIWHL234-8448-3D	84" Wide x 48" High	24 3/4" x 39 1/8"	3	Freight	85 LBS
SCPIWHL234-9624	96" Wide x 24" High	44 3/4" x 15 1/8"	2	Freight	49 LBS

SCPIWHL234-9624-3D	96" Wide x 24" High	28 3/4" x 15 1/8"	3	Freight	49 LBS
SCPIWHL234-9636	96" Wide x 36" High	44 3/4" x 21 1/8"	2	Freight	61 LBS
SCPIWHL234-9636-3D	96" Wide x 36" High	28 3/4" x 21 1/8"	3	Freight	61 LBS
SCPIWHL234-9648	96" Wide x 48" High	44 3/4" x 39 1/8"	2	Freight	97 LBS
SCPIWHL234-9648-3D	96" Wide x 48" High	28 3/4" x 39 1/8"	3	Freight	97 LBS