

### Free-Standing EXTREME WeatherPlus<sup>®</sup> Enclosed Outdoor Bulletin Boards with Message Header | Multiple Locking 2 and 3 Door Display Cases | LED Lights

FOR CURRENT PRICING, VISIT THE ID # LISTED ABOVE  
FREE SHIPPING

#### Product Details

- Freestanding Illuminated WeatherPlus<sup>®</sup> Enclosed Outdoor Bulletin Board with Multiple Doors & Personalized Header
- Standing Outdoor Lighted Bulletin Board with Message Header
- Interior **LED** Light
- UL Approved LED Strip Lighting
- Energy-Efficient, Long Lasting: 50,000 Hrs
- Aluminum Case Construction
- Free-Standing, 2 or 3 Door Display Case
- Includes Two 8' x 2" x 2" Aluminum Posts
- 5" High White Message Header Panel
- **Personalized Message Header Printed Free**
- **Your Text Message: Printed Max 3" High All Caps Black Helvetica Font**
- Features full length piano hinges
- Break Resistant Acrylic: Perfect for high traffic or public environments
- **Locking Cork Bulletin Board with Cabinet Doors**
- Security cam-lock(s) on front of frame (2 keys included)
- Overall Bulletin Board Display Case Depth: 3 1/8"
- Interior Useable display case Depth: 1 5/8"
- 4 outdoor treated frame finishes
- Forbo Cork board interior panel
- Thin Aluminum Drip-Edge Roof
- Perimeter Gaskets Installed on the Inside Door Cavity
- Side Vents Included on both Sides
- Weather Resistant Aluminum Cabinet Construction
- Withstands typical day to day outside elements Not flood-proof
- Weather resistant aluminum backing with silicone sealant
- **Cabinet Bottom Weep Holes** expel any water and dissipate any condensation
- **All Bulletin Boards ship FREE FREIGHT**
- **Call for Custom Extreme WeatherPlus<sup>®</sup> Enclosed Bulletin Board Display Cases**

#### Product Features

Our Extreme WeatherPlus<sup>®</sup> Add-ons are an upgrade from our standard cases we've sold for 20+ years. While we still sell our vast selection of styles and sizes without the enhancements below, some extreme locations require these upgrades to best accommodate their local weather challenges. Below are the upgrades we include;

- **Drip-Edge Roof**  
The thin aluminum roof provided, has a slight bend at the end, to help mitigate water from entering any possible exposure through the door or hinges when closed. The roof provided comes with a high bond adhesive tape to install onto the top of the metal cabinet. When mounting and installing the WeatherPlus<sup>®</sup> case, you can decide if you want to add the protective roof, or leave it off. You can always install it at a later date or remove it altogether after initial installation.
- **Rubber Gaskets**  
One of the bigger enhancements is the installed rubber gaskets placed on the inside perimeter of the door cavity. Though not water-proof or 100% water-tight, it greatly mitigates water from entering the case.
- **Side Vents**  
Placed on both sides of the case are Fin Style Vents. This allows the upper portion of the case to release any condensation build up, and allow for air flow to properly assist in providing a clear viewing of the contents inside.
- **Additional Weep Holes**  
In addition to the side Fin Vents, we also provide a total of 4 weep holes at the bottom of the case, which allows for any condensation or possible water build up, to release with ease. The bottom holes are positioned slightly in-front of the backer board and then behind it, for maximum breath-ability.
- **Forbo<sup>®</sup> Cork Backer**  
Offered in 15+ Colors, this cork board is self healing, will not crumble and constructed to hold up in most weather conditions. Forbo is produced from natural and renewable raw materials. A combination of oxidized linseed oil, rosin and finely ground cork gives this bulletin board its flexibility and resilience. This combination results in a product with exceptional durability & a sustainable footprint. Its strength and resilience make it an ideal material for pin boards, notice boards and all other surfaces where ideas and information are exchanged.


**IMPORTANT: Whichever way you decide to mount the case, remember to apply a clear silicone sealant around the perimeter of the backside of the case, and around any holes drilled directly into the metal cabinet.**

#### Lighting Information

- UPPERCASE Helvetica vinyl lettering
- Black lettering on a 5" white header (**3" max text height**)

#### IMPORTANT HEADER ORDERING DETAILS

Please type your message in the text box provided below, we will try to keep your message on one line unless otherwise specified.



If we can't fit your message on one line we will center your copy on two lines. For the customer that needs a specific font, color or text positioning, you may call customer service with your requests.

**ORDERING OPTIONS BELOW.**  
**SELECT THE RIGHT OPTION FOR YOU, AND FOLLOW INSTRUCTIONS**

**STANDARD HEADER (No Charge)**

Standard UPPERCASE Black Helvetica Lettering as detailed above. Make sure to spell out your header in the empty **Text Box** above the Green ADD to CART button. Check your grammar & spelling!

**LEAVE HEADER BLANK (No Charge)**

For those customers that will be adding their own header, select this option. Make sure to enter **LEAVE BLANK** in the empty **Text Box** above the Green ADD to CART button.

**CUSTOM HEADER / LOGO (Upcharge)**

This is for or those customers that wish to send us a specific FONT, COLOR, or LOGO. Make sure to enter **CUSTOM LOGO** in the empty **Text Box** above the Green ADD to CART button. We will contact you once the order has been received to instruct you on how to submit the HI-Res EPS File to us.

**LED Lighting Specifications**

- UL approved LED Strip Lighting
- Cool White LED Lighting
- LED Life: 50,000 hours

**\*\*We provide a 3-wire cord attached to the ballast / transformer inside the display case. When installing you should use a licensed electrician / installer to bring power to the display. The installer will best decide where to exit the hardwire provided (we do not provide an exit hole as we feel its best for the installer to decide the best exit point for power supply).**

**We offer TWO LED Lighting Options as detailed below;**

**TOP LIGHTING (ONE SIDE)**

For this option we place an LED strip light on the top side of the interior display case. The light will shine downward onto the interior case, highlighting the contents inside.

**INSIDE PERIMETER (ALL 4 SIDES)**

For this option we place an LED strip light along the entire Perimeter of the interior display case. The light will shine from all 4 sides of the interior case, bringing more light intensity to the contents being displayed inside.

**Post Information**

- Post Dimensions: 2" x 2" x 96" (8 Feet High)
- Posts are attached to the case through the sides. Pre-drilled holes will be

provided on the posts for easy display case mounting

- Posts should be secured at least 3 feet into the ground for proper support.

**WHAT ARE OUTDOOR POSTS?()**

**Ordering Options**

- Frame Orientation: Portrait or Landscape
- Larger Sizes: Choose 2 or 3 Doors
- 4 Metal Frame Finishes
- 15+ Forbo Cork Board Backer Colors
- **Door Window: Break Resistant or Tempered Glass**
  - Break Resistant Acrylic: 1/8" thick, lightweight (Standard)
  - 1/4" Tempered Glass for public environments and locations that require this added safety feature. (Upcharge)
    - If chosen we will use our heavy duty door that will change one of 2 dimensions by 1/2". We will contact you if you do not indicate which dimension you would like adjusted in your order notes.
    - The viewable area can decrease by 1/2" or the overall size can be increased by 1/2".

Model	Overall Size	Viewable Area (per door)	Number of Doors	Ships Via	Shipping Weight
LSCBBHLED234-WPLUS-4040	40" Wide x 40" High	15 1/4" x 28 1/2"	2	Freight	85 LBS
LSCBBHLED234-WPLUS-4050	40" Wide x 50" High	15 1/4" x 38 1/2"	2	Freight	95 LBS
LSCBBHLED234-WPLUS-4232	42" Wide x 32" High	16 1/4" x 20 1/2"	2	Freight	79 LBS
LSCBBHLED234-WPLUS-4836	48" Wide x 36" High	19 1/4" x 24 1/2"	2	Freight	85 LBS
LSCBBHLED234-WPLUS-4848	48" Wide x 48" High	19 1/4" x 36 1/2"	2	Freight	125 LBS
LSCBBHLED234-WPLUS-4860	48" Wide x 60" High	19 1/4" x 48 1/2"	2	Freight	151 LBS

LSCBBHLED234-WPLUS-5040	50" Wide x 40" High	20 1/4" x 28 1/2"	2	Freight	151 LBS
LSCBBHLED234-WPLUS-5050	50" Wide x 50" High	20 1/4" x 38 1/2"	2	Freight	125 LBS
LSCBBHLED234-WPLUS-6024	60" Wide x 24" High	25 1/4" x 13 1/2"	2	Freight	112 LBS
LSCBBHLED234-WPLUS-6030	60" Wide x 30" High	25 1/4" x 19 1/2"	2	Freight	98 LBS
LSCBBHLED234-WPLUS-6036	60" Wide x 36" High	25 1/4" x 24 1/2"	2	Freight	93 LBS
LSCBBHLED234-WPLUS-6040	60" Wide x 40" High	25 1/4" x 28 1/2"	2	Freight	115 LBS
LSCBBHLED234-WPLUS-6048	60" Wide x 48" High	25 1/4" x 36 1/2"	2	Freight	103 LBS
LSCBBHLED234-WPLUS-6060	60" Wide x 60" High	25 1/4" x 48 1/2"	2	Freight	92 LBS
LSCBBHLED234-WPLUS-7224	72" Wide x 24" High	31 1/4" x 13 1/2"	2	Freight	125 LBS
LSCBBHLED234-WPLUS-7224-3D	72" Wide x 24" High	19 1/2" x 13 1/2"	3	Freight	105 LBS
LSCBBHLED234-WPLUS-7230	72" Wide x 30" High	31 1/4" x 25"	2	Freight	95 LBS
LSCBBHLED234-WPLUS-7230-3D	72" Wide x 30" High	19 1/2" x 19 1/2"	3	Freight	85 LBS
LSCBBHLED234-WPLUS-7236	72" Wide x 36" High	31 1/4" x 24 1/2"	2	Freight	128 LBS
LSCBBHLED234-WPLUS-7236-3D	72" Wide x 36" High	19 1/2" x 31"	3	Freight	103 LBS
LSCBBHLED234-WPLUS-7248	72" Wide x 48" High	31 1/4" x 36 1/2"	2	Freight	101 LBS
LSCBBHLED234-WPLUS-7248-3D	72" Wide x 48" High	19 1/2" x 36 1/2"	3	Freight	122 LBS
LSCBBHLED234-WPLUS-8424	84" Wide x 24" High	37 1/4" x 13 1/2"	2	Freight	79 LBS
LSCBBHLED234-WPLUS-8424-3D	84" Wide x 24" High	23 1/2" x 13 1/2"	3	Freight	103 LBS
LSCBBHLED234-WPLUS-8430	84" Wide x 30" High	37 1/4" x 19 1/2"	2	Freight	91 LBS
LSCBBHLED234-WPLUS-8430-3D	84" Wide x 30" High	23 1/2" x 19 1/2"	3	Freight	112 LBS
LSCBBHLED234-WPLUS-8436	84" Wide x 36" High	37 1/4" x 24 1/2"	2	Freight	98 LBS
LSCBBHLED234-WPLUS-8436-3D	84" Wide x 36" High	23 1/2" x 24 1/2"	3	Freight	91 LBS
LSCBBHLED234-WPLUS-8448	84" Wide x 48" High	37 1/4" x 36 1/2"	2	Freight	82 LBS
LSCBBHLED234-WPLUS-8448-3D	84" Wide x 48" High	23 1/2" x 36 1/2"	3	Freight	125 LBS
LSCBBHLED234-WPLUS-9624	96" Wide x 24" High	43 1/4" x 13 1/2"	2	Freight	112 LBS
LSCBBHLED234-WPLUS-9624-3D	96" Wide x 24" High	27 1/2" x 13 1/2"	3	Freight	98 LBS
LSCBBHLED234-WPLUS-9630	96" Wide x 30" High	43 1/4" x 19 1/2"	2	Freight	138 LBS
LSCBBHLED234-WPLUS-9630-3D	96" Wide x 30" High	27 1/2" x 19 1/2"	3	Freight	115 LBS
LSCBBHLED234-WPLUS-9636	96" Wide x 36" High	43 1/4" x 24 1/2"	2	Freight	103 LBS
LSCBBHLED234-WPLUS-9636-3D	96" Wide x 36" High	27 1/2" x 24 1/2"	3	Freight	92 LBS
LSCBBHLED234-WPLUS-9648	96" Wide x 48" High	43 1/4" x 36 1/2"	2	Freight	145 LBS

LSCBBHLED234-WPLUS-9648-3D	96" Wide x 48" High	27 1/2" x 36 1/2"	3	Freight	147 LBS
----------------------------	---------------------	-------------------	---	---------	---------