

A DIVISION OF ACCESS DISPLAY GROUP, INC.

TEL: 844-409-1130 FAX: 877-842-5126 E-MAIL: info@swingframes4sale.com

Product Sheet

Item ID # SCIPHL234

Indoor 2 and 3 Door Poster Cases with Header & Lights 'Swing Cases"

FOR CURRENT PRICING, VISIT THE ID # LISTED ABOVE

HEADER WITH LIGHTS				
	••			
Custom H	leaders Available			

- **INDOOR Poster Case**
 - Lighted with Personalized Message Header 2 and 3 Door Poster Display Cases
 - Wall Mount

 - Cork Bulletin Board for Pinning Posters Features full length piano hinges support each door
- Lockable Display Case Security cam-lock is positioned on the front of each door (2 keys included)
- Corner Style: Classic Mitered Style
- Overall Depth: 3 1/8"
- Interior Useable Depth: 1 5/8'
- 4 metal frame finishes
- Break Resistant Acrylic: Perfect for high traffic or public environments Self healing natural cork interior
- Call for Custom 1, 2 and 3 Door Poster Display Cases



Header Details

Product Details

- UPPERCASE Helvetica vinyl lettering
- Black lettering on a 5" white header (3" max text height)
- Please type your message in the text box provided below, we will try to keep your message on one line unless otherwise specified. If we can't fit your message on one line we will center your copy on two lines. For the customer that needs a specific font, color or text positioning, you may call customer service with your requests.

SELECT THE RIGHT OPTION FOR YOU, AND FOLLOW INSTRUCTIONS

STANDARD HEADER (No Charge)

- Standard UPPERCASE Black Helvetica Lettering as detailed above.
- Make sure to spell out your header in the empty <u>Text Box</u> above the Green ADD to CART button. Check your grammar & spelling!

LEAVE HEADER BLANK (No Charge)

• For those customers that will be adding their own header, select this option. Make sure to enter LEAVE BLANK in the empty Text Box above the Green ADD to CART button.

CUSTOM HEADER / LOGO (Upcharge)

This is for or those customers that wish to send us a specific FONT, COLOR, or LOGO. Make sure to enter CUSTOM LOGO in the empty Text Box above the Green ADD to CART button. We will contact you once the order has been received to instruct you on how to submit the HI-Res EPS File to us.

Lighting Information

- Top Lighting an LED strip is placed across the top and shines downward
- UL approved LED Strip Lighting
- Cool White LED Lighting
- LED Life: 50 000 hours
- We provide a 3-wire cord attached to the ballast / transformer inside the display case.
- When installing you should use a licensed electrician / installer to bring power to the display. The installer will best decide where to exit the hardwire provided (we do not provide an exit hole as we feel its best for the installer to decide the best exit point for power supply).

Ordering Options

- Fabric covering over corkboard
- Painted cork board colors Plastic Clear or Multi-Color Push Pins (100 per box) ٠
 - Door Window: Break Resistant or Tempered Glass
 - Break Resistant Acrylic: 1/8" thick, lightweight (Standard)
 - 1/4" Tempered Glass for public environments and locations that require this added safety feature. (Upcharge)
 If chosen we will use our heavy duty door that will change one of 2 dimensions by 1/2". We will contact you if you do not indicate which dimension you would like adjusted in your order notes.
 - The viewable area can decrease by 1/2" or the overall size can be increased by 1/2".



Model	Overall Size	Viewable Area (per door)	Number of Doors	Ships Via	Product Weight
SCIPHL234-4040	40" Wide x 40" High	14 3/4" x 27 1/2"	2	Freight	39 LBS
SCIPHL234-4050	40" Wide x 50" High	14 3/4" x 37 1/2"	2	Freight	48 LBS
SCIPHL234-4836	48" Wide x 36" High	18 3/4" x 23 1/2"	2	Freight	44 LBS
SCIPHL234-4848	48" Wide x 48" High	18 3/4" x 35 1/2"	2	Freight	62 LBS
SCIPHL234-4860	48" Wide x 60" High	18 3/4" x 47 1/2"	2	Freight	70 LBS
SCIPHL234-5040	50" Wide x 40" High	19 3/4" x 27 1/2"	2	Freight	48 LBS
SCIPHL234-5050	50" Wide x 50" High	19 3/4" x 37 1/2"	2	Freight	60 LBS
SCIPHL234-6024	60" Wide x 24" High	24 3/4" x 11 1/2"	2	Freight	35 LBS
SCIPHL234-6030	60" Wide x 30" High	24 3/4" x 18 1/2"	2	Freight	44 LBS
SCIPHL234-6036	60" Wide x 36" High	24 3/4" x 23 1/2"	2	Freight	55 LBS
SCIPHL234-6040	60" Wide x 40" High	24 3/4" x 27 1/2"	2	Freight	58 LBS
SCIPHL234-6048	60" Wide x 48" High	24 3/4" x 35 1/2"	2	Freight	70 LBS
SCIPHL234-6060	60" Wide x 60" High	24 3/4" x 47 1/2"	2	Freight	87 LBS
SCIPHL234-7224	72" Wide x 24" High	30 3/4" x 11 1/2"	2	Freight	42 LBS
SCIPHL234-7224-3D	72" Wide x 24" High	19 3/16" x 11 1/2"	3	Freight	42 LBS
SCIPHL234-7230	72" Wide x 30" High	30 3/4" x 18 1/2"	2	Freight	52 LBS
SCIPHL234-7230-3D	72" Wide x 30" High	19 3/16" x 18 1/2"	3	Freight	52 LBS
SCIPHL234-7236	72" Wide x 36" High	30 3/4" x 23 1/2"	2	Freight	63 LBS
SCIPHL234-7236-3D	72" Wide x 36" High	19 3/16" x 23 1/2"	3	Freight	66 LBS
SCIPHL234-7248	72" Wide x 48" High	30 3/4" x 35 1/2"	2	Freight	83 LBS
SCIPHL234-7248-3D	72" Wide x 48" High	19 3/16" x 35 1/2"	3	Freight	88 LBS
SCIPHL234-8424	84" Wide x 24" High	36 3/4" x 11 1/2"	2	Freight	49 LBS
SCIPHL234-8424-3D	84" Wide x 24" High	23 3/16" x 11 1/2"	3	Freight	49 LBS
SCIPHL234-8430	84" Wide x 30" High	36 3/4" x 18 1/2"	2	Freight	61 LBS
SCIPHL234-8430-3D	84" Wide x 30" High	23 3/16" x 18 1/2"	3	Freight	61 LBS
SCIPHL234-8436	84" Wide x 36" High	36 3/4" x 23 1/2"	2	Freight	73 LBS
SCIPHL234-8436-3D	84" Wide x 36" High	23 3/16" x 23 1/2"	3	Freight	73 LBS
SCIPHL234-8448	84" Wide x 48" High	36 3/4" x 35 1/2"	2	Freight	97 LBS
SCIPHL234-8448-3D	84" Wide x 48" High	23 3/16" x 35 1/2"	3	Freight	97 LBS
SCIPHL234-9624	96" Wide x 24" High	42 3/4" x 11 1/2"	2	Freight	56 LBS

SCIPHL234-9624-3D	96" Wide x 24" High	27 3/16" x 11 1/2"	3	Freight	56 LBS
SCIPHL234-9630	96" Wide x 30" High	42 3/4" x 18 1/2"	2	Freight	70 LBS
SCPIHL234-9630-3D	96" Wide x 30" High	27 3/16" x 18 1/2"	3	Freight	70 LBS
SCIPHL234-9636	96" Wide x 36" High	42 3/4" x 23 1/2"	2	Freight	83 LBS
SCIPHL234-9636-3D	96" Wide x 36" High	27 3/16" x 23 1/2"	3	Freight	82 LBS
SCIPHL234-9648	96" Wide x 48" High	42 3/4" x 35 1/2"	2	Freight	111 LBS
SCIPHL234-9648-3D	96" Wide x 48" High	27 3/16" x 35 1/2"	3	Freight	118 LBS