Product Sheet

Item ID # LSCLR23

TEL: 844-409-1130 FAX: 877-842-5126 E-MAIL: info@swingframes4sale.com

Outdoor Enclosed Letter Boards with Radius Edges and 2 Leg Posts (Multiple Doors)

FOR CURRENT PRICING, VISIT THE ID # LISTED ABOVE







Product Details

- **Outdoor Letter Board**
- Sleek, Radius Edge Cabinet Corners
- Standing Letter Board Display Case
- Multiple Doors: 2 and 3 Door Letter Board Models
- Enclosed Letter Message Display Board
- Letter Board with Changeable Letters
- Two 8' Aluminum Leg Posts
 Features full length piano hinges (opens right to left)
- Lockable Letter Board Display
- Security cam-lock is positioned on front of frame (2 keys included) Overall Cabinet Depth: 3 1/8"
- Interior Useable Depth: 1 5/8"
- 4 outdoor treated metal case frame finishes
- Break Resistant Acrylic: Perfect for high traffic or public environments
- Black vinyl letterboard with precision grooves allows for easy plastic

letter and number insertion

- 3/4" White Plastic Helvetica Letters and Numbers included (290 Character Sprue Set)
- Withstands typical everyday outside elements: Not flood or waterproof
- Bottom Cabinet Weep Holes helps expel water and dissipate condensation
 - Weather resistant aluminum backing with silicone sealant
- Radius Edge Letter Boards ships FREE FREIGHT (see Size Chart ICON for details)
- Call for Custom Letter Boards Outdoor and Indoor

Post Specifications

- Post Dimensions: 2" x 2" x 96" (8 Feet High)
- Overall Depth of case: 3 1/8" when adding posts to your display case.

This added depth is for ease of installation when mounting case to posts.

• Posts are attached to the case through the sides. Pre-drilled holes will be

provided on the posts for easy display case mounting

• Posts should be secured at least 3 feet into the ground for proper support.

WHAT ARE OUTDOOR POSTS? ()

Ordering Options

- · Optional colors for vinyl letterboard panel
- Optional letter & character sets (1/2", 3/4", 1", 2", 3")

Model	Overall Size	Viewable Area	Number of Doors	Ships Via	Shipping Weight
LSCLR23-4040	40" x 40"	15 1/4" x 35"	2	Freight	N/A
LSCLR23-4050	40" x 50"	15 1/4" x 45"	2	Freight	N/A
LSCLR23-4232	42" x 32"	16 1/4" x 27"	2	Freight	33
LSCLR23-4836	48" x 36"	19 1/4" x 31"	2	Freight	37
LSCLR23-4848	48" x 48"	19 1/4" x 43"	2	Freight	N/A
LSCLR23-4860	48" x 60"	19 1/4" x 55"	2	Freight	N/A

LSCLR23-5040	50" x 40"	20 1/4" x 35"	2	Freight	N/A
LSCLR23-5050	50" x 50"	20 1/4" x 45"	2	Freight	N/A
LSCLR23-6024	60" x 24"	25 1/4" x 19"	2	Freight	N/A
LSCLR23-6030	60" x 30"	25 1/4" x 25"	2	Freight	N/A
LSCLR23-6036	60" x 36"	25 1/4" x 31"	2	Freight	46
LSCLR23-6040	60" x 40"	25 1/4" x 35"	2	Freight	N/A
LSCLR23-6048	60" x 48"	25 1/4" x 43"	2	Freight	N/A
LSCLR23-6060	60" x 60"	25 1/4" x 55"	2	Freight	N/A
LSCLR23-7224	72" x 24"	31 1/4" x 19"	2	Freight	N/A
LSCLR23-7224-3D	72" x 24"	19 1/2" x 19"	3	Freight	N/A
LSCLR23-7230	72" x 30"	31 1/4" x 25"	2	Freight	N/A
LSCLR23-7230-3D	72" x 30"	19 1/2" x 35"	3	Freight	N/A
LSCLR23-7236	72" x 36"	31 1/4" x 31"	2	Freight	54
LSCLR23-7236-3D	72" x 36"	19 1/2" x 31"	3	Freight	58
LSCLR23-7248	72" x 48"	31 1/4" x 43"	2	Freight	N/A
LSCLR23-7248-3D	72" x 48"	19 1/2" x 43"	3	Freight	79
LSCLR23-8424	84" x 24"	37 1/4" x 19"	2	Freight	N/A
LSCLR23-8424-3D	84" x 24"	23 1/2" x 19"	3	Freight	N/A
LSCLR23-8430	84" x 30"	37 1/4" x 25"	2	Freight	N/A
LSCLR23-8430-3D	84" x 30"	23 1/2" x 25"	3	Freight	N/A
LSCLR23-8436	84" x 36"	37 1/4" x 31"	2	Freight	N/A
LSCLR23-8436-3D	84" x 36"	23 1/2" x 31"	3	Freight	N/A
LSCLR23-8448	84" x 48"	37 1/4" x 43"	2	Freight	N/A
LSCLR23-8448-3D	84" x 48"	23 1/2" x 43"	3	Freight	N/A
LSCLR23-9624	96" x 24"	43 1/4" x 19"	2	Freight	N/A
LSCLR23-9624-3D	96" x 24"	27 1/2" x 19"	3	Freight	N/A
LSCLR23-9630	96" x 30"	43 1/4" x 25"	2	Freight	N/A
LSCLR23-9630-3D	96" x 30"	27 1/2" x 30"	3	Freight	N/A
LSCLR23-9636	96" x 36"	43 1/4" x 31"	2	Freight	N/A
LSCLR23-9636-3D	96" x 36"	27 1/2" x 43"	3	Freight	N/A
LSCLR23-9648	96" x 48"	43 1/4" x 43"	2	Freight	96

		LSCLR23-9648-3D	96" x 48"	27 1/2" x 43"	3	Freight	99
--	--	-----------------	-----------	---------------	---	---------	----