

## Outdoor Enclosed Letter Boards with Lights & 2 Leg Posts | Multiple Doors | 2 and 3 Door Display Cases


FOR CURRENT PRICING, VISIT THE ID # LISTED ABOVE

### Product Details

- **Outdoor Letter Board**
- Standing Letter Board Display Case
- [Multiple Doors: 2 and 3 Door Letter Board Models](#)
- Message Display Board
- Letter Board with Changeable Letters
- Enclosed Letter Board Display
- **Two 8' Aluminum Leg Posts**
- **Interior Lighted Display Cabinet**
- Long-lasting, energy-efficient LED strip lighting
- Features full length piano hinges (opens right to left)
- Lockable Letter Board Case
- Security cam-lock is positioned on front of frame (2 keys included)
- Overall Depth: 3 1/8"
- Interior Useable Depth: 1 5/8"
- 4 outdoor treated metal case frame finishes
- Break Resistant Acrylic: Perfect for high traffic or public environments
- Black vinyl letterboard with precision grooves allows for easy

letter and number insertion

- **3/4" White Plastic Helvetica Letters and Numbers included** (290 Character Sprue Set)
- **Weather Resistant**
- Withstands typical everyday outside elements: Not flood-proof
- **Cabinet Weep Holes** helps expel any water and reduces condensation build-up
- Weather resistant aluminum backing with silicone sealant
- **37 letterboard sizes ships FREE FREIGHT** (see Size Chart ICON for details)
- **Call for Custom Letter Boards Outdoor and Indoor**



### Lighting Information

- LED strip lighting is positioned on top to shine down
- Electric Cord: 3-wire center back exit (electrician needed for hard-wiring)

### Ordering Options

- Post Dimensions: 2" x 2" x 96" (8 Feet High)
- Posts are attached to the case through the sides. Pre-drilled holes will be provided on the posts for easy display case mounting
- Posts should be secured at least 3 feet into the ground for proper support.

### Ordering Options

- Optional colors for vinyl letterboard panel
- Optional letter & character sets (1/2", 3/4", 1", 2", 3")

#### Door Window: Break Resistant or Tempered Glass

- Break Resistant Acrylic: 1/8" thick, lightweight (Standard)
- Tempered Glass: 1/8" Tempered Glass is offered for public environments

which require this added safety standard. (25% Up-charge)



Model	Overall Size	Viewable Area (per door)	Number of Doors	Ships Via	Shipping Weight
LSCLL23-4040	40" x 40"	14 1/4" x 34"	2	Freight	0
LSCLL23-4050	40" x 50"	14 1/4" x 44"	2	Freight	0

LSCLL23-4836	48" x 36"	19 1/4" x 31"	2	Freight	53
LSCLL23-4848	48" x 48"	18 3/4" x 42"	2	Freight	0
LSCLL23-4860	48" x 60"	18 3/4" x 54"	2	Freight	0
LSCLL23-5040	50" x 40"	19 3/4" x 54"	2	Freight	0
LSCLL23-5050	50" x 50"	19 3/4" x 44"	2	Freight	0
LSCLL23-6024	60" x 24"	24 3/4" x 18"	2	Freight	0
LSCLL23-6030	60" x 30"	24 3/4" x 24"	2	Freight	0
LSCLL23-6036	60" x 36"	24 3/4" x 30"	2	Freight	58
LSCLL23-6040	60" x 40"	24 3/4" x 34"	2	Freight	0
LSCLL23-6048	60" x 48"	24 3/4" x 42"	2	Freight	0
LSCLL23-6060	60" x 60"	24 3/4" x 42"	2	Freight	0
LSCLL23-7224	72" x 24"	30 3/4" x 18"	2	Freight	0
LSCLL23-7224-3D	72" x 24"	19 3/16" x 18"	3	Freight	0
LSCLL23-7230	72" x 30"	30 3/4" x 24"	2	Freight	0
LSCLL23-7230-3D	72" x 30"	19 3/16" x 24"	2	Freight	0
LSCLL23-7236	72" x 36"	30 3/4" x 30"	2	Freight	0
LSCLL23-7236-3D	72" x 36"	19 3/16" x 30"	3	Freight	67
LSCLL23-7248	72" x 48"	30 3/4" x 42"	2	Freight	0
LSCLL23-7248-3D	72" x 48"	19 3/16" x 42"	3	Freight	88
LSCLL23-8424	84" x 24"	36 3/4" x 18"	2	Freight	0
LSCLL23-8424-3D	84" x 24"	23 3/16" x 18"	3	Freight	0
LSCLL23-8430	84" x 30"	36 3/4" x 24"	2	Freight	0
LSCLL23-8430-3D	84" x 30"	23 3/16" x 24"	3	Freight	0
LSCLL23-8436	84" x 36"	36 3/4" x 30"	2	Freight	0
LSCLL23-8436-3D	84" x 36"	23 3/16" x 30"	3	Freight	0
LSCLL23-8448	84" x 48"	36 3/4" x 42"	2	Freight	0
LSCLL23-8448-3D	84" x 48"	23 3/16" x 42"	3	Freight	0
LSCLL23-9624	96" x 24"	42 3/4" x 18"	2	Freight	0
LSCLL23-9624-3D	96" x 24"	27 3/16" x 18"	3	Freight	0
LSCLL23-9630	96" x 30"	42 3/4" x 24"	2	Freight	0
LSCLL23-9630-3D	96" x 30"	27 3/16" x 24"	3	Freight	0

LSCLL23-9636	96" x 36"	42 3/4" x 30"	2	Freight	0
LSCLL23-9636-3D	96" x 36"	27 3/16" x 30"	3	Freight	0