

Enclosed Indoor Poster Display Cases Radius Edge with Header & Lights (Multiple Doors)

FOR CURRENT PRICING, VISIT THE ID # LISTED ABOVE

Product Details

- Sleek radius frame accentuates messages
- Features full length piano hinges support each door
- Security cam-lock is positioned on the front of each door (2 keys included)
- Corner Style: Mitered Corners with Radius Edges
- Overall Depth: 4"
- Interior Useable Depth: 2 5/8"
- 4 metal frame finishes
- Break Resistant Acrylic: Perfect for high traffic or public environments
- Self healing natural cork interior
- Case must be **surface mounted** on the wall
- **Call to customize Radius Edge Poster Displays with Header & Lights!**



Header Details

- UPPERCASE Helvetica vinyl lettering
- **Black lettering on a 5" white header (3" max text height)**
- Please type your message in the text box provided below, we will try to keep your message on one line unless otherwise specified. If we can't fit your message on one line we will center your copy on two lines. For the customer that needs a specific font, color or text positioning, you may call customer service with your requests.

SELECT THE RIGHT OPTION FOR YOU. AND FOLLOW INSTRUCTIONS

STANDARD HEADER (No Charge)

- Standard UPPERCASE Black Helvetica Lettering as detailed above.
- Make sure to spell out your header in the empty **Text Box** above the Green ADD to CART button. Check your grammar & spelling!

LEAVE HEADER BLANK (No Charge)

- For those customers that will be adding their own header, select this option. Make sure to enter **LEAVE BLANK** in the empty **Text Box** above the Green ADD to CART button.

CUSTOM HEADER / LOGO (Upcharge)

- This is for those customers that wish to send us a specific FONT, COLOR, or LOGO. Make sure to enter **CUSTOM LOGO** in the empty **Text Box** above the Green ADD to CART button. We will contact you once the order has been received to instruct you on how to submit the HI-Res EPS File to us.

Lighting Information

- Top Lighting - an LED strip is placed across the top and shines downward
- UL approved LED Strip Lighting
- Cool White LED Lighting
- LED Life: 50,000 hours
- We provide a 3-wire cord attached to the ballast / transformer inside the display case.
- When installing you should use a licensed electrician / installer to bring power to the display. The installer will best decide where to exit the hardwire provided (we do not provide an exit hole as we feel its best for the installer to decide the best exit point for power supply).

Ordering Options

- Fabric covering over corkboard
- Painted cork board colors
- Plastic Clear or Multi-Color Push Pins (100 per box)
- **Door Window: Break Resistant or Tempered Glass**
 - Break Resistant Acrylic: 1/8" thick, lightweight (Standard)
 - 1/4" Tempered Glass for public environments and locations that require this added safety feature. (Upcharge)
 - If chosen we will use our heavy duty door that will change one of 2 dimensions by 1/2". We will contact you if you do not indicate which dimension you would like adjusted in your order notes.
 - The viewable area can decrease by 1/2" or the overall size can be increased by 1/2".



| Model | Overall Size | Viewable Area (per door) | Number of Doors | Ships Via | Weight |
|-------|--------------|--------------------------|-----------------|-----------|--------|
|-------|--------------|--------------------------|-----------------|-----------|--------|

| | | | | | |
|--------------------|---------------------|--------------------|---|---------|---------|
| SCPIRHL234-4040 | 40" Wide x 40" High | 14 3/4" x 27 1/2" | 2 | Freight | 47 LBS |
| SCPIRHL234-4050 | 40" Wide x 50" High | 14 3/4" x 37 1/2" | 2 | Freight | 58 LBS |
| SCPIRHL234-4232 | 42" Wide x 32" High | 15 3/4" x 19 1/2" | 2 | Freight | 39 LBS |
| SCPIRHL234-4836 | 48" Wide x 36" High | 18 3/4" x 23 1/2" | 2 | Freight | 51 LBS |
| SCPIRHL234-4848 | 48" Wide x 48" High | 18 3/4" x 35 1/2" | 2 | Freight | 67 LBS |
| SCPIRHL234-4860 | 48" Wide x 60" High | 18 3/4" x 47 1/2" | 2 | Freight | 84 LBS |
| SCPIRHL234-5040 | 50" Wide x 40" High | 19 3/4" x 27 1/2" | 2 | Freight | 58 LBS |
| SCPIRHL234-5050 | 50" Wide x 50" High | 19 3/4" x 37 1/2" | 2 | Freight | 73 LBS |
| SCPIRHL234-6024 | 60" Wide x 24" High | 24 3/4" x 11 1/2" | 2 | Freight | 42 LBS |
| SCPIRHL234-6030 | 60" Wide x 30" High | 24 3/4" x 18 1/2" | 2 | Freight | 53 LBS |
| SCPIRHL234-6036 | 60" Wide x 36" High | 24 1/4" x 23 1/2" | 2 | Freight | 63 LBS |
| SCPIRHL234-6040 | 60" Wide x 40" High | 24 3/4" x 27 1/2" | 2 | Freight | 70 LBS |
| SCPIRHL234-6048 | 60" Wide x 48" High | 24 3/4" x 35 1/2" | 2 | Freight | 84 LBS |
| SCPIRHL234-6060 | 60" Wide x 60" High | 24 3/4" x 47 1/2" | 2 | Freight | 105 LBS |
| SCPIRHL234-7224 | 72" Wide x 24" High | 30 3/4" x 11 1/2" | 2 | Freight | 51 LBS |
| SCPIRHL234-7224-3D | 72" Wide x 24" High | 19 3/16" x 11 1/2" | 3 | Freight | 51 LBS |
| SCPIRHL234-7230 | 72" Wide x 30" High | 30 3/4" x 18 1/2" | 2 | Freight | 63 LBS |
| SCPIRHL234-7230-3D | 72" Wide x 30" High | 19 3/16" x 18 1/2" | 3 | Freight | 63 LBS |
| SCPIRHL234-7236 | 72" Wide x 36" High | 30 3/4" x 23 1/2" | 2 | Freight | 76 LBS |
| SCPIRHL234-7236-3D | 72" Wide x 36" High | 19 3/16" x 23 1/2" | 3 | Freight | 76 LBS |
| SCPIRHL234-7248 | 72" Wide x 48" High | 30 3/4" x 35 1/2" | 2 | Freight | 101 LBS |
| SCPIRHL234-7248-3D | 72" Wide x 48" High | 19 3/16" x 35 1/2" | 3 | Freight | 101 LBS |
| SCPIRHL234-8424 | 84" Wide x 24" High | 36 3/4" x 11 1/2" | 2 | Freight | 59 LBS |
| SCPIRHL234-8424-3D | 84" Wide x 24" High | 23 3/16" x 11 1/2" | 3 | Freight | 59 LBS |
| SCPIRHL234-8430 | 84" Wide x 30" High | 36 3/4" x 18 1/2" | 2 | Freight | 74 LBS |
| SCPIRHL234-8430-3D | 84" Wide x 30" High | 23 3/16" x 18 1/2" | 3 | Freight | 74 LBS |
| SCPIRHL234-8436 | 84" Wide x 36" High | 36 3/4" x 23 1/2" | 2 | Freight | 88 LBS |
| SCPIRHL234-8436-3D | 84" Wide x 36" High | 23 3/16" x 23 1/2" | 3 | Freight | 88 LBS |
| SCPIRHL234-8448 | 84" Wide x 48" High | 36 3/4" x 35 1/2" | 2 | Freight | 117 LBS |
| SCPIRHL234-8448-3D | 84" Wide x 48" High | 23 3/16" x 35 1/2" | 3 | Freight | 117 LBS |
| SCPIRHL234-9624 | 96" Wide x 24" High | 42 3/4" x 11 1/2" | 2 | Freight | 67 LBS |

| | | | | | |
|--------------------|---------------------|--------------------|---|---------|---------|
| SCPIRHL234-9624-3D | 96" Wide x 24" High | 27 3/16" x 11 1/2" | 3 | Freight | 67 LBS |
| SCPIRHL234-9630 | 96" Wide x 30" High | 42 3/4" x 18 1/2" | 2 | Freight | 84 LBS |
| SCPIRHL234-9630-3D | 96" Wide x 30" High | 27 3/16" x 18 1/2" | 3 | Freight | 84 LBS |
| SCPIRHL234-9636 | 96" Wide x 36" High | 42 3/4" x 23 1/2" | 2 | Freight | 101 LBS |
| SCPIRHL234-9636-3D | 96" Wide x 36" High | 27 3/16" x 23 1/2" | 3 | Freight | 101 LBS |
| SCPIRHL234-9648 | 96" Wide x 48" High | 42 3/4" x 35 1/2" | 2 | Freight | 134 LBS |
| SCPIRHL234-9648-3D | 96" Wide x 48" High | 27 3/16" x 35 1/2" | 3 | Freight | 134 LBS |