

A DIVISION OF ACCESS DISPLAY GROUP, INC.

TEL: 844-409-1135 FAX: 877-842-5126 E-MAIL: info@posterdisplays4sale.com

Product Sheet

Item ID # LSCBBLED-WPLUS

EXTREME WeatherPLUSâ,,¢ Outdoor Enclosed Bulletin Board Standing with LED LIGHTS | Lockable Door in 15+ Sizes and Custom Sizes

FOR CURRENT PRICING, VISIT THE ID # LISTED ABOVE FREE SHIPPING

Product Details

- Extreme WeatherPlus™ Outdoor Enclosed Bulletin Board
- Free Standing LED Lighted Bulletin Board Display Case
- Long-Lasting UL Approved LED Strip Lighting
 Aluminum Message Cork Board Cabinet with Posts
- LED Lights, Energy-Efficient, Long Lasting: 50,000 Hrs
- Weather-Treated Aluminum Display Case Construction
- Free-Standing, Single Door Display Case Features full length piano hinge (opens right to left)
- Break Resistant Acrylic: Perfect for high traffic or public environments
- Locking Cork Bulletin Board Display Case Security cam-lock(s) on front of frame (2 keys included)
- Overall Bulletin Board Display Case Depth: 3 1/8"
- Interior Useable display case Depth: 1 5/8"
- 4 outdoor treated frame finishes
- Forbo Cork board interior panel
- Thin Aluminum Drip-Edge Roof
- Perimeter Gaskets Installed on the Inside Door Cavity
- Side Vents Included on both Sides
- Weather Resistant Aluminum Cabinet Construction
- Withstands typical day to day outside elements Not flood-proof
- Weather resistant aluminum backing with silicone sealant

 Cabinet Weep Holes expels any water and dissipates any condensation
- 2 Large Bulletin Boards ships FREE FREIGHT
- Made in the USA
- Call for Custom Extreme WeatherPlus™Bulletin Board Display Cases

Product Features

Our Extreme WeatherPlusâ, Add-ons are an upgrade from our standard cases we've sold for 20+ years. While we still sell our vast selection of styles and sizes without the enhancements below, some extreme locations require these upgrades to best accommodate their local weather challenges. Below are the upgrades we include;

Drip-Edge Roof

The thin aluminum roof provided, has a slight bend at the end, to help mitigate water from entering any possible exposure through the door or hinges when closed. The roof provided comes with a high bond adhesive tape to install onto the top of the metal cabinet. When mounting and installing the WeatherPlusâ, case, you can decide if you want to add the protective roof, or leave it off. You can always install it at a later date or remove it altogether after initial installation.

Rubber Gaskets

One of the bigger enhancements is the installed rubber gaskets placed on the inside perimeter of the door cavity. Though not water-proof or 100% water-tight, it greatly mitigates water from entering the case.

Placed on both sides of the case are Fin Style Vents. This allows the upper portion of the case to release any condensation build up, and allow for air flow to properly assist in providing a clear viewing of the contents inside.

Additional Weep Holes

In addition to the side Fin Vents, we also provide a total of 4 weep holes at the bottom of the case, which allows for any condensation or possible water build up, to release with ease. The bottom holes are positioned slightly in-front of the backer board and then behind it, for maximum breath-ability.

Forboâ,,¢ Cork Backer

Offered in 15+ Colors, this cork board is self healing, will not crumble and constructed to hold up in most weather conditions. Forbo is produced from natural and renewable raw materials. A combination of oxidized linseed oil, rosin and finely ground cork gives this bulletin board its flexibility and resilience. This combination results in a product with exceptional durability & a sustainable footprint. Its strength and resilience make it an ideal material for pin boards, notice boards and all other surfaces where ideas and information are exchanged

IMPORTANT: Whichever way you decide to mount the case, remember to apply a clear silicone sealant around the perimeter of the backside of the case, and around any holes drilled directly into the metal cabinet.

Lighting Information

- UL approved LED Strip Lighting
- Cool White LED Lighting
- LED Life: 50.000 hours

**We provide a 3-wire cord attached to the ballast / transformer inside the display case. When installing you should use a licensed electrician / installer to bring power to the display. The installer will best decide where to exit the hardwire provided (we do not provide an exit hole as we feel its best for the installer to decide the best exit point for power supply).









We offer TWO LED Lighting Options as detailed below;

<u>TOP LIGHTING (ONE SIDE)</u>
For this option we place an LED strip light on the top side of the interior display case. The light will shine downward onto the interior case, highlighting the contents inside.

INSIDE PERIMETER (ALL 4 SIDES).

For this option we place an LED strip light along the entire Perimeter of the interior display case. The light will shine from all 4 sides of the interior case, bringing more light intensity to the contents being displayed inside.

Post Information

- Post Dimensions: 2" x 2" x 96" (8 Feet High)
 Posts are attached to the case through the sides. Pre-drilled holes will be

provided on the posts for easy display case mounting

• Posts should be secured at least 3 feet into the ground for proper support.

WHAT ARE OUTDOOR POSTS?()

Ordering Options

- Frame Orientation: Portrait or Landscape
- 4 Metal Frame Finishes15+ Forbo Cork Board Backer Colors
- Door Window: Break Resistant or Tempered Glass
 - Break Resistant Acrylic: 1/8" thick, lightweight (Standard)

 - 1/4" Tempered Glass for public environments and locations that require this added safety feature. (Upcharge)
 If chosen we will use our heavy duty door that will change one of 2 dimensions by 1/2". We will contact you if you do not indicate which dimension you would like adjusted in your order notes.
 - The viewable area can decrease by 1/2" or the overall size can be increased by 1/2".

Model	Interior Size	Viewable Area	Overall Size (Portrait)	Overall Size (Landscape)	Ships Via	Shipping Weight
LSCBBLED-WPLUS- 8511	9 3/4" x 12 3/4"	8 1/2" x 11"	13 3/4" x 16"	16 1/4" x 13 1/2"	UPS	62
LSCBBLED-WPLUS- 1114	12 1/4" x 15 3/4"	11" x 14"	16 1/4" x 19"	19 1/4" x 16"	UPS	63
LSCBBLED-WPLUS- 1117	12 1/4" x 18 3/4"	11" x 17"	16 1/4" x 22"	22 1/4" x 16"	UPS	64
LSCBBLED-WPLUS- 1319	14 1/4" x 20 3/4"	12 3/4" x 19" (18 3/4" x 13")	18" x 24"	24" x 18"	UPS	65
LSCBBLED-WPLUS- 1824	19 1/4" x 25 3/4"	18" x 24"	23 1/4" x 29"	29 1/4" x 23"	UPS	70
LSCBBLED-WPLUS- 1931	20 1/4" x 32 3/4"	18 3/4" x 31" (30 3/4" x 19")	24" x 36"	36" x 24"	UPS	71
LSCBBLED-WPLUS- 2228	23 1/4" x 29 3/4"	22" x 28"	27 1/4" x 33"	33 1/4" x 27"	UPS	71
LSCBBLED-WPLUS- 2436	25 1/4" x 37 3/4"	24" x 36"	29 1/4" x 41"	41 1/4" x 29"	UPS	80
LSCBBLED-WPLUS- 2739	28 1/4" x 40 3/4"	27" x 39"	32 1/4" x 44"	44 1/4" x 32"	UPS	87
LSCBBLED-WPLUS- 2740	28 1/4" x 41 3/4"	27" x 40"	32 1/4" x 45"	45 1/4" x 32"	UPS	87
LSCBBLED-WPLUS- 2741	28 1/4" x 42 3/4"	27" x 41"	32 1/4" x 46"	46 1/4" x 32"	UPS	87
LSCBBLED-WPLUS- 3040	31 1/4" x 41 3/4"	30" x 40"	35 1/4" x 45"	45 1/4" x 35"	UPS	90

LSCBBLED-WPLUS- 3131	32 1/4" x 32 3/4"	30 3/4" x 31"	36" x 36"	N/A	UPS	73
LSCBBLED-WPLUS- 3636	37 1/4" x 37 3/4"	36" x 36"	42 1/4" x 42"	N/A	UPS	115
LSCBBLED-WPLUS- 3648	37 1/4" x 49 3/4"	35 3/4" x 48" (47 3/4" x 36)	42" x 54"	54" x 42"	Freight	120
LSCBBLED-WPLUS- 4242	43 1/4" x 43 3/4"	41 3/4" x 42"	48" x 48"	N/A	Freight	105