PosterDisplays

A DIVISION OF ACCESS DISPLAY GROUP, INC.

TEL: 844-409-1135 FAX: 877-842-5126 E-MAIL: info@posterdisplays4sale.com

Product Sheet

Item ID # LSCBBXLLED-WPLUS


Free-Standing EXTREME WeatherPLUSâ,,¢ Extra Large Outdoor Enclosed Bulletin Boards | LED LIGHTS | Single Locking Door

FOR CURRENT PRICING, VISIT THE ID # LISTED ABOVE **FREE SHIPPING**



- Free Standing Extreme WeatherPlus™ Display Cases Extra Large Outdoor Enclosed Forbo Bulletin Board
- XL Single Lockable Door Cabinet with LED Lighting
- Durable Aluminum Cabinet with Two Posts
- Two 8' x 2" x 2" Aluminum Posts
- LED Lighted Message Board Bulletin Board
- UL Approved LED Strip Lighting Energy-Efficient, Long-Lasting: 50,000 Hrs
- Display Case in Portrait or Landscape Orientation
- Full-length piano hinge (opens right to left when Portrait is Selected) When Landscape is selected, Prop Arms will be added to support the door.
 - Break-Resistant Clear Acrylic Window
- Locking Display Case
- Security cam-lock(s) on front of the cabinet (2 keys included)
- Outer Bulletin Board Display Case Depth: 3 1/8'
- Interior Useable display case Depth: 1 5/8"
- 4 outdoor treated metal finishes
- Forbo Bulletin Board Interior Panel
- Thin Aluminum Drip-Edge Roof
- Perimeter Gaskets Installed on the Inside Door Cavity
- Side Vents on Sides of Cabinet to Dissipate Condensation Buildup Bottom Cabinet Weep Holes Expel Any Water
- Weather-Resistant Aluminum Cabinet Construction
- Weather-resistant aluminum backing with silicone sealant Withstands typical day-to-day outside elements. Not flood-proof.
- Weather-resistant aluminum backing with silicone sealant
- Free Shipping
 - Contact Us for Custom Extreme WeatherPlus™Bulletin Board Displays

For Overall Size, See Size Chart



Product Features

Product Details

Our Extreme WeatherPlusâ.c Add-ons are an upgrade from our standard cases we've sold for 20+ years. While we still sell our vast selection of styles and sizes without the enhancements below, some extreme locations require these upgrades to best accommodate their local weather challenges. Below are the upgrades we include;

Drip-Edge Roof

The thin aluminum roof provided, has a slight bend at the end, to help mitigate water from entering any possible exposure through the door or hinges when closed. The roof provided comes with a high bond adhesive tape to install onto the top of the metal cabinet. When mounting and installing the WeatherPlusâ., case, you can decide if you want to add the protective roof, or leave it off. You can always install it at a later date or remove it altogether after initial installation

- Rubber Gaskets
- One of the bigger enhancements is the installed rubber gaskets placed on the inside perimeter of the door cavity. Though not water-proof or 100% water-tight, it greatly mitigates water from entering the case.
- Side Vents
- Placed on both sides of the case are Fin Style Vents. This allows the upper portion of the case to release any condensation build up, and allow for air flow to properly assist in providing a clear viewing of the contents inside.
- Additional Weep Holes
- In addition to the side Fin Vents, we also provide a total of 4 weep holes at the bottom of the case, which allows for any condensation or possible water build up, to release with ease. The bottom holes are positioned slightly in-front of the backer board and then behind it, for maximum breath-ability.
- Forboâ, ¢ Cork Backer

Offered in 15+ Colors, this cork board is self healing, will not crumble and constructed to hold up in most weather conditions. Forbo is produced from natural and renewable raw materials. A combination of oxidized linseed oil, rosin and finely ground cork gives this bulletin board its flexibility and resilience. This combination results in a product with exceptional durability & a sustainable footprint. Its strength and resilience make it an ideal material for pin boards, notice boards and all other surfaces where ideas and information are exchanged.

IMPORTANT: Whichever way you decide to mount the case, remember to apply a clear silicone sealant around the perimeter of the backside of the case, and around any holes drilled directly into the metal cabinet.

Lighting Information

- UL approved LED Strip Lighting
- Cool White LED Lighting
- LED Life: 50.000 hours

**We provide a 3-wire cord attached to the ballast / transformer inside the display case. When installing you should use a licensed electrician / installer to bring power to the display. The installer will best decide where to exit the hardwire provided (we do not provide an exit hole as we feel its best for the installer to decide the best exit point for power supply).

We offer TWO LED Lighting Options as detailed below;

TOP LIGHTING (ONE SIDE)

For this option we place an LED strip light on the top side of the interior display case. The light will shine downward onto the interior case, highlighting the contents inside.

INSIDE PERIMETER (ALL 4 SIDES).

For this option we place an LED strip light along the entire Perimeter of the interior display case. The light will shine from all 4 sides of the interior case, bringing more light intensity to the contents being displayed inside.

Ordering Options

Post Dimensions: 2" x 2" x 96" (8 Feet High) · Posts are attached to the case through the sides. Pre-drilled holes will be

provided on the posts for easy display case mounting

Posts should be secured at least 3 feet into the ground for proper support.

WHAT ARE OUTDOOR POSTS?()

Ordering Options

- Frame Orientation: Portrait or Landscape
- 4 Metal Frame Finishes
- 15+ Forbo Cork Board Backer Colors .
- Door Window: Break Resistant or Tempered Glass
 - Break Resistant Acrylic: 1/8" thick, lightweight (Standard)
 - 1/4" Tempered Glass for public environments and locations that require this added safety feature. (Upcharge)
 If chosen we will use our heavy duty door that will change one of 2 dimensions by 1/2". We will contact you if you do not indicate which dimension you would like adjusted in your order notes.

 - The viewable area can decrease by 1/2" or the overall size can be increased by 1/2".

which require this added safety standard. (Upcharge)

Landscape Orientation Information *For outdoor poster cases being built for landscape orientation, the following information below will apply.

- The hinge placement will always be on Top (Door Swings Upward) ٠
- Prop arms will be added to the unit to support and hold the door. ٠
- The prop arms will extend the door open at approximately 45 degrees. ٠

Model	Interior Size	Overall Size	Viewable Area (Portrait)	Viewable Area (Landscape)	Ships Via	Shipping Weight
LSCBBXLLED-WPLUS- 2448	20 1/8" x 44 3/4"	24" x 48" x 3 1/8"	17 3/4" x 42"	42" x 17 3/4"	Freight	71
LSCBBXLLED-WPLUS- 2460	20 1/8" x 56 3/4"	24" x 60" x 3 1/8"	17 3/4" x 54"	54" x 17 3/4"	Freight	75
LSCBBXLLED-WPLUS- 2472	19 1/8" x 67 3/4"	24" x 72" x 3 1/8"	17 3/4" x 66"	66" x 17 3/4"	Freight	81
LSCBBXLLED-WPLUS- 2484	19 1/8" x 79 3/4"	24" x 84" x 3 1/8"	17 3/4" x 78"	78" x 17 3/4"	Freight	95
LSCBBXLLED-WPLUS- 2496	19 1/8" x 91 3/4"	24" x 96" x 3 1/8"	17 3/4" x 90"	90" x 17 3/4"	Freight	100
LSCBBXLLED-WPLUS- 3648	31 1/8" x 43 3/4"	36" x 48" x 3 1/8"	29 3/4" x 42"	42" x 29 3/4"	Freight	75
LSCBBXLLED-WPLUS- 3660	31 1/8" x 55 3/4"	36" x 60" x 3 1/8"	29 3/4" x 54"	54" x 29 3/4"	Freight	87
LSCBBXLLED-WPLUS- 3672	31 1/8" x 67 3/4"	36" x 72" x 3 1/8"	29 3/4" x 66"	66" x 29 3/4"	Freight	97

LSCBBXLLED-WPLUS- 3684	31 1/8" x 79 3/4"	36" x 84" x 3 1/8"	29 3/4" x 78"	78" x 29 3/4"	Freight	106
LSCBBXLLED-WPLUS- 3696	31 1/8" x 91 3/4"	36" x 96" x 3 1/8"	29 3/4" x 90"	90" x 29 3/4"	Freight	110
LSCBBXLLED-WPLUS- 4060	35 1/8" x 55 3/4"	40" x 60" x 3 1/8"	33 1/4" x 54"	54" x 33 1/4"	Freight	91
LSCBBXLLED-WPLUS- 4848	43 1/4" x 43 3/4"	48" x 48" x 3 1/8"	41 1/4" x 42"	42" x 41 3/4"	Freight	91
LSCBBXLLED-WPLUS- 4860	43 1/4" x 55 3/4"	48" x 60" x 3 1/8"	41 1/4" x 54"	54" x 41 3/4"	Freight	100
LSCBBXLLED-WPLUS- 4872	43 1/4" x 67 3/4"	48" x 72" x 3 1/8"	41 1/4" x 66"	66" x 41 3/4"	Freight	108
LSCBBXLLED-WPLUS- 4884	43 1/4" x 79 3/4"	48" x 84" x 3 1/8"	41 1/4" x 78"	78" x 41 3/4"	Freight	120
LSCBBXLLED-WPLUS- 4896	43 1/4" x 91 3/4"	48" x 96" x 3 1/8"	41 1/4" x 96"	96" x 41 3/4"	Freight	130