

## Enclosed Outdoor Bulletin Boards + Message Header and LED Lights with 2-3 Doors in 35+ Sizes

FOR CURRENT PRICING, VISIT THE ID # LISTED ABOVE



### Product Details

- Outdoor Enclosed Bulletin Boards
- 2 and 3 Door Display Cases with LED Lighting
- Wall Mount Lockable Cork Bulletin Board
- Personalized Message Header **Printed Free**
- Weather Resistant Durable Aluminum Cabinet
- 5" White Message Header Panel
- Your Text Message All Caps Printed Up to 3" High
- **Optional** Custom Header Graphics Printed for an Upcharge
- Long-Lasting, Energy-Efficient LED Strip Lighting
- Cabinet Style: Classic Mitered Corners
- Full-length piano hinges support each door
- Security Cam-Lock on the front of each door (2 keys)
- Overall Depth: **3 1/8"**
- Interior Useable Depth: **1 5/8"**
- 4 outdoor treated frame finishes
- Break-Resistant Clear Acrylic Window
- Self-healing natural cork interior
- **Weep Holes** on Cabinet Bottom Expel Any Water
- **Side Vents** Help Dissipate Condensation Build-Up
- Weather resistant aluminum backing with silicone sealant
- Withstands typical outside elements: Not flood or waterproof
- Display Case must be surface mounted on the wall
- **Free Ground Freight Shipping**
- Call for Custom Exterior Enclosed Bulletin Boards

### Header Details

- UPPERCASE Helvetica vinyl lettering
- **Black lettering on a 5" white header (3" max text height)**

#### IMPORTANT HEADER ORDERING DETAILS

Please type your message in the text box when making your selections, and we will try to keep your message on one line unless otherwise specified. If we can't fit your message on one line we will center your copy on two lines. For the customer that needs a specific font, color or text positioning, you may call customer service with your requests.

#### ORDERING OPTIONS BELOW.

#### SELECT THE RIGHT OPTION FOR YOU, AND FOLLOW INSTRUCTIONS

##### STANDARD HEADER (No Charge)

Standard UPPERCASE Black Helvetica Lettering as detailed above. Make sure to spell out your header in the empty **Header Text** field when making your selections. Check your grammar & spelling!

##### LEAVE HEADER BLANK (No Charge)

For customers that will be adding their own header, select this option. Make sure to select **LEAVE HEADER BLANK** in the **Header Style** dropdown when making your selections.

##### CUSTOM HEADER / LOGO (Upcharge)

For customers that wish to send us a specific FONT, COLOR, or LOGO. Make sure to select **CUSTOM LOGO** in the **Header Style** dropdown when making your selections. We will contact you once the order has been received to instruct you on how to submit the HI-Res EPS File to us.

### Lighting Information

- LED strip lights are positioned on top to shine down
- Electric Cord: 3-wire center back exit (electrician needed for hardwiring)

### Ordering Options

- Vinyl covering over corkboard
- Plastic Clear or Multi-Color Push Pins (100 per box)
- **Door Window: Break Resistant or Tempered Glass**
  - Break Resistant Acrylic: 1/8" thick, lightweight (Standard)
  - 1/4" Tempered Glass for public environments and locations that require this added safety feature. (Upcharge)
    - If chosen we will use our heavy duty door that will change one of 2 dimensions by 1/2". We will contact you if you do not indicate which dimension you would like adjusted in your order notes.
    - The viewable area can decrease by 1/2" or the overall size can be increased by 1/2".

Model	Overall Size	Viewable Area (per door)	Number of Doors	Ships Via	Shipping Weight
SCBBHL234-4040	40" Wide x 40" High	14 3/4" x 27 1/2"	2	Freight	40 LBS
SCBBHL234-4050	40" Wide x 50" High	14 3/4" x 37 1/2"	2	Freight	50 LBS
SCBBHL234-4836	48" Wide x 36" High	18 3/4" x 23 1/2"	2	Freight	45 LBS
SCBBHL234-4848	48" Wide x 48" High	18 3/4" x 35 1/2"	2	Freight	58 LBS
SCBBHL234-4860	48" Wide x 60" High	18 3/4" x 47 1/2"	2	Freight	72 LBS
SCBBHL234-5040	50" Wide x 40" High	19 3/4" x 27 1/2"	2	Freight	116 LBS
SCBBHL234-5050	50" Wide x 50" High	19 3/4" x 37 1/2"	2	Freight	87 LBS
SCBBHL234-6024	60" Wide x 24" High	24 3/4" x 11 1/2"	2	Freight	72 LBS
SCBBHL234-6030	60" Wide x 30" High	24 3/4" x 18 1/2"	2	Freight	58 LBS
SCBBHL234-6036	60" Wide x 36" High	24 1/4" x 23 1/2"	2	Freight	56 LBS
SCBBHL234-6040	60" Wide x 40" High	24 3/4" x 27 1/2"	2	Freight	76 LBS
SCBBHL234-6048	60" Wide x 48" High	24 3/4" x 35 1/2"	2	Freight	63 LBS
SCBBHL234-6060	60" Wide x 60" High	24 3/4" x 47 1/2"	2	Freight	51 LBS
SCBBHL234-7224	72" Wide x 24" High	30 3/4" x 11 1/2"	2	Freight	87 LBS
SCBBHL234-7224-3D	72" Wide x 24" High	19 3/16" x 11 1/2"	2	Freight	65 LBS
SCBBHL234-7230	72" Wide x 30" High	30 3/4" x 18 1/2"	2	Freight	54 LBS
SCBBHL234-7230-3D	72" Wide x 30" High	19 3/16" x 18 1/2"	3	Freight	44 LBS
SCBBHL234-7236	72" Wide x 36" High	30 3/4" x 23 1/2"	2	Freight	90 LBS
SCBBHL234-7236-3D	72" Wide x 36" High	19 3/16" x 23 1/2"	3	Freight	66 LBS
SCBBHL234-7248	72" Wide x 48" High	30 3/4" x 35 1/2"	2	Freight	60 LBS
SCBBHL234-7248-3D	72" Wide x 48" High	19 3/16" x 35 1/2"	3	Freight	89 LBS
SCBBHL234-8424	84" Wide x 24" High	36 3/4" x 11 1/2"	2	Freight	36 LBS
SCBBHL234-8424-3D	84" Wide x 24" High	23 3/16" x 11 1/2"	3	Freight	63 LBS
SCBBHL234-8430	84" Wide x 30" High	36 3/4" x 18 1/2"	2	Freight	50 LBS
SCBBHL234-8430-3D	84" Wide x 30" High	23 3/16" x 18 1/2"	3	Freight	72 LBS
SCBBHL234-8436	84" Wide x 36" High	36 3/4" x 23 1/2"	2	Freight	58 LBS
SCBBHL234-8436-3D	84" Wide x 36" High	23 3/16" x 23 1/2"	3	Freight	50 LBS
SCBBHL234-8448	84" Wide x 48" High	36 3/4" x 35 1/2"	2	Freight	40 LBS
SCBBHL234-8448-3D	84" Wide x 48" High	23 3/16" x 35 1/2"	3	Freight	87 LBS
SCBBHL234-9624	96" Wide x 24" High	23 3/16" x 35 1/2"	2	Freight	72 LBS

SCBBHL234-9624-3D	96" Wide x 24" High	27 1/2" x 11 1/2"	2	Freight	58 LBS
SCBBHL234-9630	96" Wide x 30" High	42 3/4" x 18 1/2"	2	Freight	101 LBS
SCBBHL234-9630-3D	96" Wide x 30" High	27 3/16" x 18 1/2"	3	Freight	76 LBS
SCBBHL234-9636	96" Wide x 36" High	42 3/4" x 23 1/2"	2	Freight	63 LBS
SCBBHL234-9636-3D	96" Wide x 36" High	27 1/2" x 23 1/2"	3	Freight	51 LBS
SCBBHL234-9648	96" Wide x 48" High	42 3/4" x 35 1/2"	2	Freight	54 LBS
SCBBHL234-9648-3D	96" Wide x 48" High	27 3/16" x 35 1/2"	3	Freight	114 LBS